<u>CLAIMS</u>

What is claimed is:

1   1.   A method comprising:

2   associating each of a quantity of numbers of a speech-enabled numbered list with

3   an entry of a quantity of entries;

4   receiving, through a voice input, a selection of a number of the quantity of

5   numbers; and

6   obtaining data for the entry of the quantity of entries that is associated with the

7   number.

1   2.   The method of claim 1, wherein each of the quantity of numbers of the speech-

2   enabled numbered list is fixed to a position next to each of the quantity of numbers

3   independent of the entry located at the position next to each of the quantity of numbers.

1   3.   The method of claim 1, further comprising receiving a new selection of the

2   number of the quantity of numbers if the voice input could not be determined.

1   4.   The method of claim 1, wherein the quantity of entries is greater than the quantity

2   of numbers.

1   5.   The method of claim 1, further comprising receiving an input that modifies

2   positions of the quantity of entries.

1   6.   A method comprising:

2   associating each of a quantity of numbers of a speech-enabled numbered list with

3   a position in a viewable list;

4   associating each of the quantity of numbers of the speech-enabled numbered list

5   with an entry of a quantity of entries that is located in the position in the viewable list;

6   receiving an input, wherein the input can be one of a number of input types, each

7   of the number of input types associated with a number of different levels of confidence;

8   and

9   obtaining data for the entry of the quantity of entries that is associated with the

10   input.

1   7.   The method of claim 6, further comprising verifying the input upon determining

2   that the input type of the input is associated with a moderate level of confidence.

1   8.   The method of claim 7, wherein the verifying of the input includes generating a

2   list of matching items from a vocabulary list.

1   9.   The method of claim 7, wherein the input type associated with the moderate level

2   of confidence includes a voice input that is independent of the speech-enabled numbered

3   list.

1   10.   The method of claim 6, further comprising associating each of the quantity of

2   entries with a voice keyword.

1   11.   The method of claim 6, wherein each of the quantity of numbers of the speech-

2   enabled numbered list is fixed to the position next to each of the quantity of numbers

3   independent of the entry located at the position next to each of the quantity of numbers.

1   12.   The method of claim 6, further comprising receiving an input that modifies

2   positions of the quantity of entries.

1   13.   The method of claim 6, wherein the quantity of entries is greater than the quantity

2   of numbers.

1   14.   The method of claim 6, further comprising receiving an additional input if the

2   input could not be determined.

1   15.   A system comprising:

2   an input device coupled to receive, through a voice input, a selection of a number

3   of a quantity of numbers of a speech-enabled numbered list; and

4   an input unit coupled with the input device, the input unit to associate each of the

5   quantity of numbers of the speech-enabled numbered list with an entry of a quantity of

6   entries, wherein the input unit is to obtain data for the entry of the quantity of entries that

7   is associated with the number based on the selection of the number through the voice

8   input.

1   16.   The system of claim 15, wherein the input unit is to receive a new selection of the

2   number of the quantity of numbers if the voice input could not be determined.

1   17.   The system of claim 15, wherein the input unit is to receive an input that modifies

2   positions of the quantity of entries.

1   18.   A system comprising:

2   a number of input devices coupled to receive a number of inputs, wherein each of

3   the number of inputs can be one of a number of input types, each of the number of input

4   types associated with a number of different levels of confidence; and

5   an input unit coupled to the number of input devices, the input unit to associate

6   each of a quantity of numbers of a speech-enabled numbered list with an entry of a

7   quantity of entries that is located in a position in a viewable list, wherein the input unit is

8 to obtain data for the entry of the quantity of entries that is associated with the input based

9 on the selection of the entry through the input.

1 19. The system of claim 18, wherein the input unit is to verify the input upon

2 determining that the input type of the input is associated with a moderate level of

3 confidence.

1 20. The system of claim 19, wherein the input unit is to generate a list of matching

2 items from a vocabulary list to verify the input.

1 21. The system of claim 20, wherein the input unit is to associate each of the quantity

2 of entries with a voice keyword.

1 22. A machine-readable medium that provides instructions, which when executed by a

2 machine, causes the machine to perform operations comprising:

3 associating each of a quantity of numbers of a speech-enabled numbered list with

4 an entry of a quantity of entries;

5 receiving, through a voice input, a selection of a number of the quantity of

6 numbers; and

7 obtaining data for the entry of the quantity of entries that is associated with the

8 number.

1 23. The machine-readable medium of claim 22, wherein each of the quantity of

2 numbers of the speech-enabled numbered list is fixed to a position next to each of the

3 quantity of numbers independent of the entry located at the position next to each of the

4 quantity of numbers.

1 24. The machine-readable medium of claim 22, wherein the quantity of entries is

2 greater than the quantity of numbers.

1   25.   The machine-readable medium of claim 22, further comprising receiving an input

2   that modifies positions of the quantity of entries.

1   26.   A machine-readable medium that provides instructions, which when executed by a

2   machine, causes the machine to perform operations comprising:

3   associating each of a quantity of numbers of a speech-enabled numbered list with

4   a position in a viewable list;

5   associating each of the quantity of numbers of the speech-enabled numbered list

6   with an entry of a quantity of entries that is located in the position in the viewable list;

7   receiving an input, wherein the input can be one of a number of input types, each

8   of the number of input types associated with a number of different levels of confidence;

9   and

10   obtaining data for the entry of the quantity of entries that is associated with the

11   input.

1   27.   The machine-readable medium of claim 26, further comprising verifying the input

2   upon determining that the input type of the input is associated with a moderate level of

3   confidence.

1   28.   The machine-readable medium of claim 27, wherein the verifying of the input

2   includes generating a list of matching items from a vocabulary list.

1   29.   The machine-readable medium of claim 26, further comprising associating each of

2   the quantity of entries with a voice keyword.

1   30.   The machine-readable medium of claim 26, wherein each of the quantity of

2   numbers of the speech-enabled numbered list is fixed to the position next to each of the

3   quantity of numbers independent of the entry located at the position next to each of the

4   quantity of numbers.